

GCSE (9–1) Combined Science B (Twenty First Century Science) J260/06 Chemistry (Higher Tier)

Н

Sample Question Paper

Date – Morning/Afternoon

Version 2.2

Time allowed: 1 hour 45 minutes

You must have:

- · a ruler (mm/cm)
- the Data Sheet

You may use:

• a scientific or graphical calculator



First name	
Last name	
Centre number	Candidate number

INSTRUCTIONS

- Use black ink. HB pencil may be used for graphs and diagrams only.
- Complete the boxes above with your name, centre number and candidate number.
- Answer all the questions.
- · Write your answer to each question in the spaceprovided.
- Additional paper may be used if required but you must clearly show your candidate number, centre number and question number(s).
- Do not write in the bar codes.

INFORMATION

- The total mark for this paper is 95.
- The marks for each question are shown in brackets [].
- Quality of extended responses will be assessed in the question marked with an asterisk (*).
- This document consists of 20 pages.




Answer **all** the questions.

1	(a)	The	e atomic model has chan	ged over time.			
		Dra	w lines to join each scie l	ntist to their mode	I.		
		S	Scientist			Model	
			Bohr		Plum	pudding model	
			Dalton		So	olid sphere	
		Т	homson		Elec	trons in shells	[2]
	(b)	We	now know that all atoms	contain protons, n	eutrons a	and electrons.	
		(i)	Complete the table to shelectrons.	now the relative ch	arges on	protons, neutrons	s and
				Relative ch	arge		
			Proton				
			Neutron				
			Electron				[2]
		(ii)	Mendeleev organised el gaps in the table.	ements into the fire	st Periodi	c Table. He left	
			Describe the basis of the Table.	e arrangement of e	elements	in Mendeleev's P	eriodic
							[2]
		(iii)	Why was Mendeleev's o	lecision to leave ga	aps corre	ct?	

2 Scientists think that the composition of the early atmosphere changed slowly over many billions of years.

Scientists estimated the composition of the early atmosphere on Earth. The graph shows the percentage of gases in the early atmosphere and the atmosphere today.




Gases in Earth's atmosphere


. ,	Describe how and why the levels of these gases have changed between these two periods, leading to the formation of the oxygen-rich atmosphere we have today.
	[6]

(b) Scientists are concerned about the changes in the levels of carbon dioxide in the modern atmosphere.

The graph below shows how the carbon dioxide in the Earth's atmosphere has changed in recent times.



The graph below shows the carbon emissions from fossil fuels over a similar period.



		[4]
	Describe how carbon dioxide contributes to the greenhouse effect.	
(ii)	Scientists are worried about the amount of carbon dioxide in our atmosphere. Carbon dioxide contributes to the greenhouse effect.	
		[2]
	Describe the correlation between global carbon emissions and the level of carbon dioxide in the atmosphere shown by the graphs.	
(1)	affect the carbon dioxide levels in our atmosphere.	

3		nine in Canada mines a lead ore called galena. Galena has the chemical nula of PbS.	
		e first stage of the process involves concentrating the galena using froth ation.	
	(a)	The next process is smelting. This is a two stage process.	
		First, the concentrated galena is reacted with air at high temperatures to form lead(II) oxide.	
		The word equation for this reaction is:	
		lead sulfide + oxygen \rightarrow lead(II) oxide + sulfur dioxide	
		Write a balanced symbol equation for this reaction.	
			[3]
	(b)	Lead metal is extracted from the lead oxide by heating it with carbon.	
		2PbO + C \rightarrow 2Pb + CO $_2$	
		(i) Explain what has happened to the lead in this reaction.	
			[1]
		(ii) What is the maximum mass of lead that can be extracted from 1.116 kg of lead(II) oxide?	
		Mass of lead =g	[4]
		(iii) Why is carbon used to extract lead from its ore but not aluminium?	
			[2]

(c) Amaya and James live near a lead mine that produces millions of tonnes of lead ore.

They found out some facts about the mine.

Employment at the mine	1000 persons
Lead found in house dust in houses local to the mine	1000 μg/m²
Amount of rock blasted out to obtain one tonne of lead	10 tonnes
Toxicity of lead	High

(i)	Amaya has just bought a new house in the area.
	Explain one advantage and one disadvantage of living near the lead mine.
	Advantage
	Disadvantage
	[2]

(ii) Amaya and James talk about the processing of the lead at the mine.

Some of the waste from processing lead ore is toxic. I think we should close the mine until the process can be made completely safe.



James

	Suggest reasons that Amaya could give for not closing the mine.
	[2]
	[2]
d)	The waste material from the ore still contains some lead and can contaminate the surrounding soil.
	One way of cleaning up contaminated soil is to use phytoextraction.
	Describe how phytoextraction can be used to clean up the contaminated soil.
	[31]

4 Sodium is an element in Group 1 of the Periodic	: Lable.
---	----------

Chlorine is in Group 7 of the Periodic Table.

- (a) Chlorine has two main isotopes:
 - chlorine-35 with an atomic mass of 35
 - chlorine-37 with an atomic mass of 37.

The percentage abundance of these isotopes is shown in the table below.

Isotope	Percentage abundance (%)
Chlorine-35	75.8
Chlorine-37	24.2

Show that the relative atomic mass of chlorine is 35.5 to 1 decimal place.

(b) (i)	Sodium reacts with chlorine gas to form a salt.	Į2
	Write a balanced symbol equation for the reaction.	
	Include state symbols in your answer.	

rs	

[3]

	1
5	Kareen is investigating the reaction of magnesium ribbon with hydrochloric acid.
	When magnesium and hydrochloric acid react, a gas is formed.
	The equation for this reaction is as below.
	magnesium + hydrochloric → magnesium + hydrogen acid chloride
	Mg + 2HC l \rightarrow MgC l_2 + H $_2$
	(a) Kareen wants to investigate the effect of concentration of acid on the reaction when hydrochloric acid reacts with magnesium.
	He uses the following equipment:
	 Conical flask Cotton wool Balance Stop watch Hydrochloric acid of different concentrations Magnesium ribbon Measuring cylinder Describe how Kareen would do this investigation. You may include a diagram in your answer.

.....[4]

- **(b)** Kareen uses 0.116 g of magnesium each time in his experiment.
 - He measures the time until all the magnesium is used up.
 - He uses both magnesium ribbon and magnesium powder.


Here are his results:

Concentration of hydrochloric acid (mol/dm³)	1.5	1.0	0.5
Reaction time using magnesium ribbon (seconds)	88	165	209
Reaction time using magnesium powder (seconds)	55	93	121

	(Seconds)			
(i)) From Kareen's results, describe the effect of coof reaction.	ncent	ration on the rate	
	Use information from the table in your answer.			
				. [2]
(ii)	i) The mean rate of reaction for the magnesium rik hydrochloric acid is 1.32×10^{-3} g/s.	obon	with 1.5 mol/dm ³	
	Calculate the mean rate of reaction for the magn 1.5 mol/dm ³ hydrochloric acid.	nesiu	m powder with	
	Give your answer in standard form and to 3 sign	nificar	nt figures.	
	Mean rate of reaction =		g/s	[4]
(iii)	ii) Magnesium powder reacts more quickly than ma	agnes	sium ribbon.	
	Explain why.			
				. [2]
	1000/00		Turn ov	/er

6 Crude oil is used as a source of fuels. It is separated into many fractions by fractional distillation.

The diagram below shows a fractionating column.



Describe how crude oil is separated using a fractionating column.
[4]
[4]

© OCR 2021 J260/06

(a)

(b) The table below shows the percentage of each fraction in crude oil.

The fractions are listed in increasing order of carbon chain length.

fraction	% in crude oil	% needed
LPG	4	4
petrol	5	22
heating oil	9	5
diesel	19	23
paraffin	13	8
fuel oil and bitumen	50	38

The table shows that only about a quarter of the petrol needed is supplied by fractional distillation of crude oil.

Explain how an oil refinery uses cracking to increase the production of

petrol.	
Use information from the table in your answer.	

7	Self-heating food packs are available on the internet. They warm food using
	a chemical reaction.

The packs often use the reaction between calcium oxide and water shown below.

$$CaO(s) \ + \ H_2O(I) \ \rightarrow \ Ca(OH)_2(s)$$

This reaction gives out heat.

(a) Draw and label a reaction profile for this reaction. Label the activation energy.

	[3]]
b) E	xplain the relationship between activation energy and catalysts.	
	[0]	

8	Jan	e is	a chemistry technician in a secondary school.	
	She	e has	s found some bottles of hydrochloric acid where the labels have fallen	
			cides to do a titration of the contents against 1.0 mol/dm ³ sodium de to find the concentration of the acid in each bottle.	
	(a)	The	e balanced symbol equation for this reaction is:	
			NaOH + HC $l \rightarrow \text{NaC}l + \text{H}_2\text{O}$	
		(i)	Jane found that 30 ${\rm cm^3}{\rm of}$ sodium hydroxide neutralised 25 ${\rm cm^3}{\rm of}$ the acid from one of the bottles.	
			Calculate the concentration of the acid from this bottle.	
				0
			Concentration = mol/dm	1 ³ [4]
		(ii)	Jane works out that the concentration of acid in one of the other bottles is 2.0 mol/dm ³ .	
			She wishes to make 500 cm ³ of 0.1 mol/dm ³ hydrochloric acid from thi to fill up the bottles in the laboratory.	s acid
			Calculate the volume of the 2.0 mol/dm³ acid she would have to use.	
			Volume = cm	n ³ [3]
	(b)		dents react together the 0.1 mol/dm ³ hydrochloric acid with calcium bonate to make the soluble salt calcium chloride.	
		The	e students make a dry sample of the calcium chloride crystals.	
		Des	scribe how they do this.	

.....[4]

4	(-)	The beleveed	المسامم المطامعين	on for this	recetion in
	(C)	The balanced s	symbol equati	ion for this	reaction is:

$$2HCl + CaCO_3 \rightarrow CaCl_2 + H_2O + CO_2$$

The students wish to calculate the maximum amount of calcium chloride they could make from $200~\rm cm^3$ of $0.1~\rm mol/dm^3$ hydrochloric acid.


Calculate the maximum mass of calcium chloride they could make.

Give your answer to three significant figures.

Maximum mass of calcium chloride = g [6]

(d)	Hydrochloric acid is a strong acid.
	Ethanoic acid is a weak acid.
	The equations for the acids in solution are:
	$HCl \rightarrow H^+ + Cl^-$
	$CH_3COOH \Rightarrow CH_3COO^- + H^+$
	Explain the differences in these acids and their pH.
	[3]

9 Early light bulbs used carbon paper filaments. When electricity is passed through the bulb the carbon paper filaments become very hot. The energy from the electricity transfers to heat and light in the bulb.



(a) The first bulbs invented by Sir Joseph Swan used carbon paper filaments in air

	These worked well but burned up quickly.	
	Explain why these bulbs did not last very long.	
		[1]
b)	In 1879, Thomas Edison discovered that using a carbon filament in a glass bulb filled with argon improved the design of the original bulbs. He found that this bulb lasted 40 hours.	
	Explain how using a glass bulb filled with argon solved the problem Joseph Swan had with his light bulb.	
		[3]

Scientists are assessing the environmental impact of different types of shopping bags.

They carry out Life Cycle Assessments (LCA) for three different types of bags.

Their results are recorded in the table below.

	Totals for 1000 bags for the whole LCA						
	paper (30% recycled fibre)	biodegradable plastic	polythene				
Energy use (MJ)	2620	2070	763				
Fossil fuel use (kg)	23.2	41.5	14.9				
Municipal solid waste (kg)	33.9	19.2	7.0				
Greenhouse gas emissions (kg CO ₂)	80	180	40				
Fresh water use (litres)	4520	4580	260				

By evaluating the information in the table, decide which of the three materials is best to use for shopping bags.

xplain your choice.	
[3	

END OF QUESTION PAPER

Summary of updates

Date	Version	Details
December 2021	2.2	Updated copyright acknowledgements.

Copyright Information:

Data from Boden, T.A., G. Marland, and R.J. Andres. 2010. Global, Regional, and National Fossil-Fuel CO2 Emissions. Carbon Dioxide Information Analysis Center, Oak Ridge National Laboratory, U.S. Department of Energy, Oak Ridge, Tenn., U.S.A. doi 10.3334/CDIAC/00001_V2010. Data from Keeling, R.F., S.C. Piper, A.F. Bollenbacher and J.S. Walker. 2008. Atmospheric CO2 records from sites in the SIO air sampling network. In Trends: A Compendium of Data on Global Change. Carbon Dioxide Information Analysis Center, Oak Ridge National Laboratory, U.S. Department of Energy, Oak Ridge, Tenn., U.S.A.

Image and Data from Scripps Institution of Oceanography, University of California-San Diego. scripps.ucsd.edu.

- © CreativeNature_nl / iStock, www.istockphoto.com Reproduced with permission
- © sciencepics. Image supplied by Shutterstock, www.shutterstock.com

OCR is committed to seeking permission to reproduce all third-party content that it uses in the assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity. For queries or further information please contact the Copyright Team, The Triangle Building, Shaftesbury Road, Cambridge, CB2 8EA. OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.



...day June 20XX - Morning/Afternoon

GCSE (9–1) Combined Science B (Twenty First Century Science) J260/06 Chemistry (Higher Tier)

SAMPLE MARK SCHEME

Duration: 1 hour 45 minutes

MAXIMUM MARK 95

DRAFT

This document consists of 20 pages

MARKING INSTRUCTIONS

PREPARATION FOR MARKING

SCORIS

- 1. Make sure that you have accessed and completed the relevant training packages for on-screen marking: scoris assessor Online Training, OCR Essential Guide to Marking.
- 2. Make sure that you have read and understood the mark scheme and the question paper for this component. These are posted on the RM Cambridge Assessment Support Portal http://www.rm.com/support/ca
- 3. Log-in to scoris and mark the **required number** of practice responses ("scripts") and the **required number** of standardisation responses.

YOU MUST MARK 10 PRACTICE AND 10 STANDARDISATION RESPONSES BEFORE YOU CAN BE APPROVED TO MARK LIVE SCRIPTS.

MARKING

- 1. Mark strictly to the mark scheme.
- 2. Marks awarded must relate directly to the marking criteria.
- 3. The schedule of dates is very important. It is essential that you meet the scoris 50% and 100% (traditional 50% Batch 1 and 100% Batch 2) deadlines. If you experience problems, you must contact your Team Leader (Supervisor) without delay.
- 4. If you are in any doubt about applying the mark scheme, consult your Team Leader by telephone, email or via the scoris messaging system.

- 5. Work crossed out:
 - a. where a candidate crosses out an answer and provides an alternative response, the crossed out response is not marked and gains no marks
 - b. if a candidate crosses out an answer to a whole question and makes no second attempt, and if the inclusion of the answer does not cause a rubric infringement, the assessor should attempt to mark the crossed out answer and award marks appropriately.
- 6. Always check the pages (and additional objects if present) at the end of the response in case any answers have been continued there. If the candidate has continued an answer there then add a tick to confirm that the work has been seen.
- 7. There is a NR (No Response) option. Award NR (No Response)
 - if there is nothing written at all in the answer space
 - OR if there is a comment which does not in any way relate to the question (e.g. 'can't do', 'don't know')
 - OR if there is a mark (e.g. a dash, a question mark) which isn't an attempt at the question.

Note: Award 0 marks – for an attempt that earns no credit (including copying out the question).

- 8. The scoris **comments box** is used by your Team Leader to explain the marking of the practice responses. Please refer to these comments when checking your practice responses. **Do not use the comments box for any other reason.**If you have any questions or comments for your Team Leader, use the phone, the scoris messaging system, or email.
- 9. Assistant Examiners will send a brief report on the performance of candidates to their Team Leader (Supervisor) via email by the end of the marking period. The report should contain notes on particular strengths displayed as well as common errors or weaknesses. Constructive criticism of the question paper/mark scheme is also appreciated.

10. For answers marked by levels of response:

Read through the whole answer from start to finish, using the Level descriptors to help you decide whether it is a strong or weak answer. The indicative scientific content in the Guidance column indicates the expected parameters for candidates' answers, but be prepared to recognise and credit unexpected approaches where they show relevance. Using a 'best-fit' approach based on the skills and science content evidenced within the answer, first decide which set of level descriptors, Level 1, Level 2 or Level 3, best describes the overall quality of the answer. Once the level is located, award the higher or lower mark:

The higher mark should be awarded where the level descriptor has been evidenced and all aspects of the communication statement (in italics) have been met.

The lower mark should be awarded where the level descriptor has been evidenced but aspects of the communication statement (in italics) are missing.

In summary:

The skills and science content determines the level.

The communication statement determines the mark within a level.

Level of response question on this paper is 2(a).

11. Annotations

Annotation	Meaning
DO NOT ALLOW	Answers which are not worthy of credit
IGNORE	Statements which are irrelevant
ALLOW	Answers that can be accepted
()	Words which are not essential to gain credit
_	Underlined words must be present in answer to score a mark
ECF	Error carried forward
AW	Alternative wording
ORA	Or reverse argument

12. Subject-specific Marking Instructions

INTRODUCTION

Your first task as an Examiner is to become thoroughly familiar with the material on which the examination depends. This material includes:

- the specification, especially the assessment objectives
- the question paper
- the mark scheme.

You should ensure that you have copies of these materials.

You should ensure also that you are familiar with the administrative procedures related to the marking process. These are set out in the OCR booklet **Instructions for Examiners**. If you are examining for the first time, please read carefully **Appendix 5 Introduction to Script Marking: Notes for New Examiners**.

Please ask for help or guidance whenever you need it. Your first point of contact is your Team Leader.

The breakdown of Assessment Objectives for GCSE (9–1) in Combined Science B:

	Assessment Objective
AO1	Demonstrate knowledge and understanding of scientific ideas and scientific techniques and procedures.
AO1.1	Demonstrate knowledge and understanding of scientific ideas.
AO1.2	Demonstrate knowledge and understanding of scientific techniques and procedures.
AO2	Apply knowledge and understanding of scientific ideas and scientific enquiry, techniques and procedures.
AO2.1	Apply knowledge and understanding of scientific ideas.
AO2.2	Apply knowledge and understanding of scientific enquiry, techniques and procedures.
AO3	Analyse information and ideas to interpret and evaluate, make judgements and draw conclusions and develop and improve experimental procedures.
AO3.1	Analyse information and ideas to interpret and evaluate.
AO3.1a	Analyse information and ideas to interpret.
AO3.1b	Analyse information and ideas to evaluate.
AO3.2	Analyse information and ideas to make judgements and draw conclusions.
AO3.2a	Analyse information and ideas to make judgements.
AO3.2b	Analyse information and ideas to draw conclusions.
AO3.3	Analyse information and ideas to develop and improve experimental procedures.
AO3.3a	Analyse information and ideas to develop experimental procedures.
AO3.3b	Analyse information and ideas to improve experimental procedures.

	Ques	tion	Answer	Marks	AO element	Guidance
1	(a)		Bohr linked to electrons in shells ✓ Dalton linked to solid sphere ✓ Thomson linked to plum pudding model ✓	2	1.1	One mark if one correct Two marks if two or three correct
	(b)	(i)	Proton +1 ✓ Neutron neutral or 0 ✓ Electron -1 ✓	2	1.1	One mark if two correct Two marks if three correct
		(ii)	Atomic mass ✓ Properties ✓	2	1.1	
		(iii)	Gaps are for undiscovered elements ✓ He predicted properties / new elements matched his predictions / new elements had the properties he predicted ✓	2	1.1	

Question	Answer	Marks	AO element	Guidance
2 (a)*	Please refer to the marking instructions on page 4 of this mark scheme for guidance on how to mark this question. Level 3 (5–6 marks) Correctly describes how and why the water vapour condenses to make the oceans And Correctly describes how and why the carbon dioxide decreases initially after the formation of the oceans And Correctly links to a description how and why an oxygen rich atmosphere developed due to photosynthesising organisms producing oxygen and absorbing carbon dioxide leading to a decrease in carbon dioxide and increase in oxygen in the atmosphere There is a well-developed line of reasoning which is clear and logically structured. The information presented is relevant and substantiated Level 2 (3–4 marks) Correctly describes how and why the water vapour condenses to make the oceans And Correctly describes how and why the carbon dioxide decreases initially after the formation of the oceans There is a line of reasoning presented with some structure. The information presented is relevant and supported by some evidence.	6	2 x 3.1a 2 x 3.2b 2 x 2.1	Indicative scientific points may include AO3.1a links to levels of the gases For example: Water vapour decreases Carbon dioxide decreases Carbon dioxide decreases Oxygen increases AO3.2b linked to a conclusion why these gases changed For example Dissolving in the oceans Forming sedimentary rocks By photosynthesis Earth starts hot, cools Water condenses to form oceans AO2.1 Links description of oxygen rich atmosphere to appearance of plants For example: First bacteria appeared (cyanobacteria) These photosynthesised Made carbon dioxide into glucose and released oxygen into the atmosphere Slowly the oxygen increased and the carbon dioxide levels decreased

Que	stion	Answer	Marks	AO element	Guidance
		Level 1 (1–2 marks) Correctly describes that the water vapour decreases with a valid reason Or Correctly identifies that the carbon dioxide decreases with a valid reason Or Correctly identifies that oxygen increases with a valid reason The information is basic and communicated in an unstructured way. The information is supported by limited evidence and the relationship to the evidence may not be clear. O marks No response or no response worthy of credit.			
(b) (i)	Carbon dioxide increases over the period ✓ Carbon emissions from fossil fuels increases ✓	2	2.2	
	(ii)	CO₂ builds in the atmosphere around the earth ✓ Radiation from the sun enters through the atmosphere some is absorbed by the earth and some of this radiation is reflected by the earth ✓ Radiation instead of going into space is reflected back to the earth by the CO₂ in the atmosphere ✓ Causing the earth to increase in temperature ✓	4	2.1	

C	ues	tion	Answer	Marks	AO element	Guidance
3	(a)		2PbS + 3O₂ → 2PbO + 2SO₂ √√√	3	1.1 1.1 1.2	One mark for correct reactants One mark for correct products One mark for correct balancing
	(b)	(i)	The lead has been reduced because it has gained an electron/ lost oxygen ✓	1	2.1	
		(ii)	FIRST CHECK THE ANSWER ON THE ANSWER LINE if = 1036(g) award four marks RFM for PbO = 207.2 + 16.0 = 223.2 ✓ 1.116kg = 1116 g ✓ 1116 ÷ 223.2 = 5 ✓ 5 x 207.2 = 1036 (g) ✓	4	2.1	ALLOW 1.036 kg DO NOT ALLOW 1.036
		(iii)	Any one from: Lead is less reactive than carbon ✓ Aluminium is more reactive than carbon ✓ Therefore carbon will displace the lead from the lead oxide but not aluminium compounds ✓	2	1.1	

Ques	tion	Answer	Marks	AO element	Guidance
(c)	(i)	Disadvantages: noise / traffic / possible toxicity / dust Because this could damage health/ damage quality of life AW ✓ Advantages: work/jobs / improved transport links / more facilities available Because enables communities to develop / gives livelihood / enhances quality of life AW ✓	2	3.2a	
	(ii)	Idea that it cannot be made completely safe / would take time for the mining company to improve safety ✓ Boosts local economy / benefits outweigh risks ✓	2	3.2a	
(d)		Choose (lead tolerant) plants that will grow on Contaminated soil such as some varieties of grasses ✓ Plant plants on the contaminated soil ✓ Plants absorb the lead as they grow therefore removing the lead from the soil ✓	3	1.1	

Q	uest	ion	Answer	Marks	AO element	Guidance
4	(a)		For 100 atoms: 75.8 have RAM=35 24.2 have RAM=37 75.8 x 35 + 24.2 x 37= 35.484 ✓ 100 = 35.5 to 1 d.p.✓	2	1.2	
	(b)	(i)	$2Na(s) + Cl2(g) \rightarrow 2NaCl(s)$	3	1.1 1.1 1.2	One mark for state symbols One mark for correct chemical symbols One mark for correct balancing
		(ii)	Salt formed of ions in a giant ionic structure Attraction between oppositely charged ions is stronger than the attraction between the same charged ions Therefore large amounts of energy is required to overcome the attractions	3	1.1	

(Quest	ion	Answer	Marks	AO element	Guidance
5	(a)		Description of use of the equipment: • conical flask on balance with cotton wool in top of flask ✓ • hydrochloric acid and magnesium ribbon in the flask ✓	4	1.2 1.2	Up to two marks for a correct diagram
			Variables: • same amount of magnesium ribbon and same volume of acid each time ✓ • vary concentration of acid ✓		2.2 2.2	
	(b)	(i)	The more concentrated the acid the shorter time it takes for the magnesium to be used up ✓	2	3.1a	
			For magnesium ribbon the reaction takes 77 s at 1.5 M acid but 201 s at 0.5 M ✓ Or For magnesium powder the reaction takes 48s at 1.5M but 117s at 0.5M ✓		3.1b	
		(ii)	FIRST CHECK THE ANSWER ON THE ANSWER LINE If = 2.13 x10 ⁻³ (g/s) award four marks Mass of Mg in $55 s = 0.116 g$ Mass used in $1 s = 0.116 \div 55 \checkmark$ Mean rate = $0.002109 \checkmark$	4	2.2	One mark for answer given to 3 sig. figs.
		(iii)	= 2.11 x 10 ⁻³ (g/s) √√ Magnesium powder larger surface area √ therefore Larger area for collisions with the acid therefore faster reaction as more (successful) collisions per second √	2	2.1	

C	uestion	Answer		AO element	Guidance	
6	(a)	Tall column with condensers coming off at different heights ✓ Column heated at the bottom so hot at the bottom and cool at the top ✓ Because substances in crude oil have different boiling points ✓ Substances with high boiling points condense at the bottom and substances with low boiling points condense at the top ✓	4	1.2 1.2 1.1 1.2		
	(b)	Cracking breaks long carbon molecules into short molecules like petrol ✓ Could use fractions paraffin, fuel and bitumen and heating oil to crack as these are excess to the need ✓	2	1.1 3.1b		

C	uestio	Answer		AO element	Guidance
7	(a)	Free energy products Progress of reaction	3	2.2	ALLOW symbols for reactants and products One mark for drawing the profile One mark for reactants and products in the correct places One mark for correct identification of activation energy
	(b)	Catalysts lower the activation energy ✓ By finding a less energetic pathway so increasing the rate of the reaction ✓	2	1.1	

C	Question		Answer		AO element	Guidance
8	(a)	(i)	FIRST CHECK THE ANSWER ON THE ANSWER LINE if = 1.2(mol/dm³) award four marks Amount of NaOH = $30 \div 1000 \times 1 \checkmark = 0.3 \text{M} \checkmark$ therefore Concentration of $HCl = 0.3 \div 25 \times 1000 \checkmark = 1.2 \text{(mol/dm³)} \checkmark$	4	2.2	
		(ii)	FIRST CHECK THE ANSWER ON THE ANSWER LINE if = 25 (cm³) award three marks $2/0.1 = 20$ times dilution \checkmark $500/20 \checkmark$ = 25 (cm³) \checkmark	3	2.2	
	(b)		Filter the mixture to remove excess calcium carbonate ✓ then Evaporate excess water to concentrate the solution ✓ then Leave to crystallise ✓ then Filter the crystals and dry in an oven ✓	4	1.2	
	(c)		FIRST CHECK THE ANSWER ON THE ANSWER LINE if = 0.585 (g) award six marks Ratio = 2:1 Amount of hydrochloric acid = 200 ÷1000 x 0.1 = 0.02M Therefore amount of calcium chloride = 0.02 ÷ 2 = 0.01 M RFM of calcium chloride = 58.5 Therefore amount of calcium chloride = 58.5 x 0.01 = 0.585(g)	6	2.1 2.1 x 2 2.1 1.2 2.1	
	(d)		Hydrochloric acid is fully ionised ✓ whereas Ethanoic acid is only partially ionised ✓ So for the same concentration hydrochloric acid will have a lower pH than ethanoic acid ✓	3	1.1	

Question		Answer	Marks	AO element	Guidance
9	(a)	Because when the filament got hot the carbon reacted with the oxygen in the air and burned away ✓	1	2.1	
	(b)	Argon is in Group 0 ✓ It is very unreactive ✓ Therefore the carbon will not react with it when it gets hot ✓	3	1.1 1.1 2.1	

Question		Answer	Marks	AO element	Guidance
10		Polythene ✓ Because it (any two from) Uses least energy ✓ Uses least fossil fuel ✓ Produces least solid waste ✓ Gives least greenhouse gases ✓ Uses least water ✓	3	3.2a 3.1b x 2	

Summary of updates

Date	Version	Change
04/11/2020	2.0	Small correction to mark scheme for question 7(a)