Qualification Accredited



**A LEVEL** 

# **BIOLOGY A**

H420

For first teaching in 2015

# **Exam hints for students**



### **Exam hints for students**

#### General

Answer: ..

Cross out answers if you need to change

them. Trying to correct an answer by writing

over it can make it unclear.

Data may be presented at the start of the question and not repeated in each subsequent part.

Calculate the speed of rotation of the drum and the absolute uncertainty in this value.

Underline key instructions when reading the question and refer back to them to ensure all of them have been addressed.

Practice is required in applying knowledge to unusual contexts. Weird diagrams can still be stuff you know!

usina figure 18, calculate the area under the curve

Candidates should refer to figures provided in the question if the question asks them to. Chimpanzees have a shorter thumb relative to humans.


> Comparative statements should be unambiguous.

mítosis vs. meiosis glycogen vs. glucagon transcription vs. translation

When technical terms are similar candidates should ensure they're answering about the right one!



When explaining the shape of graphs, be clear which part of the graph you are referring to.



You should always aim to give a balanced discussion in ethical based questions.

Animal A has smaller legs than animal B

Animal A has

shorter legs than animal B

Compare the changes, in the graph

When describing differences, the language When asked to compare, describe or If formulae are used instead of naming ions used must be precise and use comparative evaluate make sure you quote relevant then they must be correct to gain credit. terms such as 'more' or 'less'. data, including units.

### **MCQ**

Answer:

2




Answer:

В

•

Some candidates used numbers for multiple choice questions. They should use only letters A-D.



Underlining or circling key information in MCQs is sensible, as is jotting down ideas and equations.

a. mellívora capensís

b. Taxídea taxus

**/** 

c.mustellídus Everettí X

Considering which answers to multiple choice questions are impossible is a good approach.

a. ~ × × × × × ×

For MCQs, if you don't know the answer try eliminating options by annotating.

Don't leave MCQ answers blank!

Your answer:



B

If changing the answer for an MCQ, completely cross out the wrong letter and write the correct one anew.

### Level of response

TLC separates substances by relative <u>adsorption</u> with the stationary phase.

Using key terms correctly is likely to be helpful, if not essential, in Level of Response question answers.

For Against

When discussing whether evidence supports a claim, ensure both sides of an argument are considered.


CON

Longer answers don't always lead to more marks. If correct responses are contradicted, marks can be lost.

### **Maths**

 $R_{p} = 0.0 \div 5.0$ 

Answer: 4.0




time = a5 ms €

mass = 125 g

Show clear working for calculations. Error carried forward may mean a response still gains marks if a mistake is made.

It's always more accurate to round once, for the final answer, and work with unrounded values on the calculator.

The 'appropriate number of significant figures' is the lowest number of significant figures provided in the data.



Make sure you give answers to the number of significant figures asked for after performing calculations.

100% increase =  $\times2$ 

800% increase =  $\times9$ 

A 100% increase means double, not equal. An 800% increase is nine times as much, not eight times.

Percentage of DNA bases that are different = 0.177%

Some candidates tried to convert small numbers into percentages when they were already percentages (albeit tiny ones).



mm<sup>a</sup> sec<sup>-1</sup>



No. of phospholipid molecules: .....ISO.5


mmª/s



Students need to consider whether their numerical answer is reasonable and realistic.

Avoid combining two conventions such as a slash and '-1'. Correct abbreviations of units must be used.

Plotting standard deviations appears to be challenging. Some candidates drew additional bars with little understanding of requirements.



Standard deviation cannot tell us if a difference is significant.

Answer: 65000

Answer:  $6.5 \times 10^4$ 

0.00	0.02	2.71	3.84
0.10	0.21	4.61	5.99
0.35	0.58	6.27	(7.82)

You need to be able to convert results between decimal form and standard form (e.g.  $a \times 10n$ ).

Ringing the value being used from a critical values table can sometimes be sufficient to be credited a mark.

probability \neq chance

The word 'chance' in statistics refers to the random deviations from 'probability' that can occur.

a x absolute uncertainty % uncertainty = quantity measured

The percentage uncertainty equation is one of the mathematical formulae students are expected to recall.

new value - original value  $\times 100$ % change = original value

Percentage change is a formulae that students need to recall. A negative value indicates a % decrease.

### 1.1.1 Planning

The same amount of water should be used


The same volume of water should be used

The term 'amount' is vague. Where possible, more precise terms should be used instead.

### 1.1.3 Analysis


0.00	0.02	2.71	3.84
0.10	0.21	4.61	5.99
0.35	0.58	6.27	7.82

	Volume (cm³)			
Time (mins)	Test 1	Test 2	Test 3	
1	50.2	30.4	46.7	
2	70.6	40.7	67.3	
•			-	




Candidates should comment on or analyse the data provided – not their assumptions about what it should be. Anomalous results should only be excluded if there is a clear explanation for why they occured.

Read the scales on graphs carefully and check any reading is correct before using it in subsequent calculations.








Lines of best fit can be straight or curved. They don't have to extend to the axes or origin if not appropriate. When drawing graphs, lines of best fit should have a fair distribution of points above and below the line.

Lines of best fit must cover the full range of points. They don't need to extend to the axes or the origin if not appropriate.



Triangles for gradient calculation should be as large as possible – too small a triangle gives a larger error in the value.

#### 1.1.4 Evaluation









What might have caused the incaccuracy in this result?

They might have misread the reading.



Remember that precision is the closeness of agreement between different results. It is not the same as accuracy.

Accuracy is a measure of how close a result is to the true value.

Answers to practical questions that cite avoidable human error are unlikely to gain marks.

How would you improve the accuracy of the results obtained?

State three variables necessary for a valid comparison.

The data in the table shows that...

Changes to experiments that improve accuracy are those which reduce either systematic or random errors.

Validity is about controlling the variables around the collection of data so that is not affected by inconsistencies.

In questions which ask you to 'evaluate', make sure that you quote relevant data to support your answer.

This shows the results are reliable



This shows the results are repeatable



This shows the results are reproducible



Use of the term 'reliability' is not encouraged. 'Repeatability', 'confidence' and 'reproducibility' are more appropriate.

### 2.1.3 Nucleotides and nucleic acids

Reverse transcriptase produces DNA



Reverse transcríptase produces cDNA




purine H<sub>2</sub>N NH pyrimidine

Precise use of technical terms is important at this level.


Remember that DNA consists of a sequence of bases, not a sequence of amino acids.

Purines (A, G) have a double carbon ring structure while the pyrimidines (T, C, U) have a single.




Distinguishing between DNA and RNA structure seemed to be a challenge.

### 2.1.4 Enzymes




A common misconception was that limiting factors slow the rate of reaction. Rather, rate plateaus and is prevented from increasing further.




Enzymes do not denature at low temperature. They have lower kinetic energy therefore there is lower activity.


### 3.1.1 Exchange surfaces




### 3.1.2 Transport in animals



## 3.1.3 Transport in plants



# 4.1.1 Communicable diseases, disease prevention and the immune system



Antigen is a protein on the outside of a foreign organism. Antibody is the protein produced by the body's immune system.

### 4.2.1 Biodiversity

biodiversity levels \( \neq \) areas of a habitat biodiversity levels \( \neq \) classification

When referring to biodiversity at different levels this is habitat, species and genetic biodiversity.

#### 4.2.2 Classification and evolution



The term 'species' doesn't refer to an individual organism. Using it in the wrong context could lose you marks.

### 5.1.1 Communication and homeostasis

Vasoconstriction prevents heat loss




Vasoconstriction reduces heat loss




Vasoconstriction does not happen in the capillaries and doesn't prevent heat loss – it only reduces it.

### 5.1.2 Excretion as an example of homeostatic control

Podocytes are usually unable to undergo mitosis as they have lost the necessary organelles







It was a common misconception that podocytes could not undergo mitosis as they no longer had a nucleus or organelles.

In the kidneys, ultrafiltration occurs at the Bowman's capsule and nowhere else in the kidney tubule.


### **5.1.4 Hormonal Communication**

An action potential signals to the brain

An action potential is transmitted to the brain

Avoids terms like 'signals' and 'messages' to refer to action potentials. Instead, use 'transmitted' or 'propogated'.

### 5.2.1 Photosynthesis



Few candidates could name a material used as the stationary phase in thin layer chromatography.

### 5.2.2 Respiration

breaking bonds makes energy



breaking bonds releases energy

HO-P-O-P-O-CH2 NNNN ATP

Kreb's cycle: I per cycle

on on a per glucose molecule

Energy cannot be created or destroyed, so any response that states that it can tends not to be credited in science examinations.

Many were unclear how many ATP were generated in the Krebs cycle, and where in the cycle it would be made.

#### 6.1.1 Cellular control

genes # alleles genetic diversity # biodiversity resistance # immunity species # variety

A number of terms relating to genetics were confused with each other. Make sure you're clear on their meanings.

### 6.1.2 Patterns of inheritance





Allele frequency is the fraction of all chromosomes within a population that carry that allele.








Candidates should understand where the expected values for chi-squared come from.

The term 'allele frequency' does not mean the same thing as a change in the number of alleles in a population. The idea that antibiotic resistance is an example of genetic drift was a common misconception.

### 6.1.3 Manipulating genome



There was confusion between anode and cathode in DNA electrophoresis, as well as which way the DNA moved.

#### **OCR Resources:** the small print

OCR's resources are provided to support the delivery of OCR qualifications, but in no way constitute an endorsed teaching method that is required by OCR. Whilst every effort is made to ensure the accuracy of the content, OCR cannot be held responsible for any errors or omissions within these resources. We update our resources on a regular basis, so please check the OCR website to ensure you have the most up to date version.

This resource may be freely copied and distributed, as long as the OCR logo and this small print remain intact and OCR is acknowledged as the originator of this work.

Our documents are updated over time. Whilst every effort is made to check all documents, there may be contradictions between published support and the specification, therefore please use the information on the latest specification at all times. Where changes are made to specifications these will be indicated within the document, there will be a new version number indicated, and a summary of the changes. If you do notice a discrepancy between the specification and a resource please contact us at: <a href="mailto:resources.feedback@ocr.org.uk">resources.feedback@ocr.org.uk</a>.

OCR acknowledges the use of the following content: N/A

Whether you already offer OCR qualifications, are new to OCR, or are considering switching from your current provider/awarding organisation, you can request more information by completing the Expression of Interest form which can be found here: <a href="https://www.ocr.org.uk/expression-of-interest">www.ocr.org.uk/expression-of-interest</a>

Please get in touch if you want to discuss the accessibility of resources we offer to support delivery of our qualifications: <a href="mailto:resources.feedback@ocr.org.uk">resources.feedback@ocr.org.uk</a>

#### Looking for a resource?

There is now a quick and easy search tool to help find **free** resources for your qualification:

www.ocr.org.uk/i-want-to/find-resources/

#### Need to get in touch?

If you ever have any questions about OCR qualifications or services (including administration, logistics and teaching) please feel free to get in touch with our

**Customer Support Centre.** 

#### **General qualifications**

Telephone 01223 553998 Facsimile 01223 552627

Email general.qualifications@ocr.org.uk

www.ocr.org.uk

OCR is part of Cambridge Assessment, a department of the University of Cambridge. For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored.

© **OCR 2020** Oxford Cambridge and RSA Examinations is a Company Limited by Guarantee. Registered in England. Registered office The Triangle Building, Shaftesbury Road, Cambridge, CB2 8EA. Registered company number 3484466. OCR is an exempt charity.



